BUILD BETTER INTERIORS

BOARDS | FRAMING | FINISHING | INSULATION

DRYWALL

REGULAR | MOISTURE | FIRE TYPE X



REGULAR DRYWALL

8' x 4' x 1/2"



MOISTURE RESISTANT

8' x 4' x 1/2"



FIRE RESISTANT TYPE X

8' x 4' x 5/8"

CEMENT BOARDS

TILE & WET-AREA BACKERS

Perma BASE CEMENT BOARD



PERMABASE CEMENT BOARD

8' x 4' x 1/2"

USG



DUROCK CEMENT BOARD

8' x 4' x 1/2"

GALVANIZED FRAMING

TRACKS | STUDS | CORNERBEADS

25 GAUGE

TRACKS, STUDS & CORNERBEADS

A complete galvanized framing range for interior wall and ceiling systems.

MANUFACTURED BY TANK-WELD METALS

JOINT COMPOUNDS

PROFESSIONAL FINISHING COMPOUNDS

EASY FINISH
READY-MIX JOINT COMPOUND

FINISH TECK
READY-MIX JOINT COMPOUND

USG ALL PURPOSE
READY-MIX JOINT COMPOUND

FIBERGLASS BATT INSULATION

DRYWALL TAPES & SCREWS

R-11 FIBERGLASS BATTS

3 1/2" x 16" x 8'

170.66 SQ FT

PAPER JOINT TAPE

FOR DRYWALL JOINTS

FIBERGLASS MESH TAPE

SELF-ADHESIVE

DRYWALL SCREWS

AVAILABLE

USG CEILING SYSTEMS

Acoustic performance with a clean, professional finish

USG RADAR ACOUSTIC CEILING TILES



FINE-TEXTURED ACOUSTIC PANEL

Clean acoustic performance for offices, retail and commercial interiors.

AVAILABLE SIZES

- 2' × 2' × 5/8"
- 2' × 4' × 5/8"

EDGE OPTIONS

SQUARE EDGE

TAPERED EDGE

SUSPENSION SYSTEMS - DONN DX / DXL



DONN DX / DXL SUSPENSION SYSTEM

DONN DX / DXL

15/16" EXPOSED TEE GRID SYSTEM

Fast installation • straight alignment
Clean, consistent finished ceiling grid

15/16" TEE PROFILE

SYSTEM COMPONENTS

Main tees • Cross tees
Wall angles • Acoustic tiles